

REVISIONS: 14/10/2019

REPLACES THE VERSION OF: 07/07/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

Chemical product identification Sample

Description: BATTERY 200
Sample Model: 72107
Recommended Uses: N/A
Restrictions on use: N/A

Supplier name: DongGuan PELLENC Electrical&Mechanical Co.,Ltd

Address: Floor 1/2 Building 7-Small Sei Park Northern Area-Songshan Lake Dongguan City

Phone number: 0086 769 22899000

FAX: 0086 769 22899001

E-mail: s.vigouroux@pellenc-china.com

Emergency phone number:44(0) 1865 407333

SECTION 2: HAZARDS IDENTIFICATION

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery.

In case of rupture: the below hazards exist.

N° CAS 7429-90-5

Classification according to GHS

Substances and mixtures which, in contact with water, emit flammable gases (2,3) Specific target organ toxicity, repeated exposure (1)

Label elements

Hazard pictogram(s):





Signal word: Danger

Hazard statement(s):

H261 In contact with water releases flammable gas

H372 Causes damage to organs through prolonged or repeated exposure

Precautionary statement(s):

Prevention:

P223 Do not allow contact with water.

P231 + P232 Handle and store contents under inert gas/... Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/ vapours/spray.

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin and immerse in cool water.



REVISIONS: 14/10/2019

REPLACES THE VERSION OF: 07/07/2015

P370 + P378 In case of fire: Use ... to extinguish P314 Get medical advice/attention if you feel unwell...

Storage

None.

Disposal:

P501 Contents handling to approved waste treatment plants.

N° CAS 7440-50-8

Classification according to GHS

Specific target organ toxicity, single exposure; Respiratory tract irritation (3) Specific target organ toxicity, repeated exposure (1)

Label elements

Hazard pictogram(s):





Signal word: Danger

Hazard statement(s):

H335 May cause respiratory irritation

H372 Causes damage to organs through prolonged or repeated exposure (liver)

Precautionary statement(s):

Prevention:

P261 Avoid breathing dust/fume/gas/mist/ vapours/spray

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust/fume/gas/mist/ vapours/spray.

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Cali a POISON CENTER/doctor/... if you feel unwell.

P314 Get medical advice/attention if you feel unwell

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501 Contents or container handling to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11
Environmental hazards: See Section 12

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixture

Chemical composition	N° CAS	N° CE	Poids (%)
Lithium manganese nickel and cobalt			20-40



REVISIONS: 14/10/2019

REPLACES THE VERSION OF: 07/07/2015

Iron	7439-89-6	231-096-4	15-25
Aluminum	7429-90-5	231-072-3	2-6
Graphite	7782-42-5	231-955-3	10-20
Copper	7440-50-8	231-159-6	5-15
Electrolyte			10-20

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General information: No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: Not available.

Most important symptoms/offacts, acute and delayed: Not available.

Most important symptoms/effects, acute and delayed: Not available.

Indication of immediate medical attention and special treatment needed: Not available.

SECTION 5: FIREFIGHTING MEASURES

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO2.

Unsuitable extinguishing media:

No data available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed ta a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150"C(302 "F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.



REVISIONS: 14/10/2019 REPLACES THE VERSION OF: 07/07/2015

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Protective equipment:

No further relevant information available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

All waste must refer ta the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas. Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to tire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No data available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

N° CAS	ACGIH	NIOSH	OSHA
7439-89-6	N/A	N/A	PEL-TWA 5mg/m3 PEL-TWA 15mg/m3
7429-90-5	TLV-TWA 1mg/m 3	REL-TWA 5mg/m3	PEL-TWA 5mg/m3 PEL-TWA 15mg/m3



REVISIONS: 14/10/2019

REPLACES THE VERSION OF: 07/07/2015

7782-42-5	TLV-TWA 2mg/m 3	REL-TWA 2.5mg/m3	PEL-TWA 15mppcf
7440-50-8	TLV-TWA	REL-TWA 1mg/m3	PEL-TWA 5mg/m3
	0.2mg/m 3		PEL-TWA
	TLV-TWA 1mg/m 3		15mg/m3

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Colour :Yellow.Physical state :Solid.

Odour:

Odour threshold:

Non disponible.

Non disponible.

Non disponible.

Melting point/freezing point: Non disponible. Initial boiling point and boiling range: Non disponible. Flash point: Non disponible. **Evaporation rate:** Non disponible. Flammability (solid, gas) Non disponible. **Explosion Limits (Vol. % in air):** Non disponible. Vapor pressure, kPa at 20°C: Non disponible. Non disponible. Vapour density:

Density/Relative density (water = 1):

Solubility(ies):

Partition coefficient: n-octanol/water

Non disponible.

Non disponible.

Non disponible.

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Non disponible.

Non disponible.

Non disponible.

Non disponible.

Other informations:

Voltage :43,2 VElectric capacity :4.40AhElectric energy:190.08Wh

SECTION 10: STABILITY AND REACTIVITY



REVISIONS: 14/10/2019

REPLACES THE VERSION OF: 07/07/2015

Reactivity: Data not available. **Chemical stability**: Stable.

Possibility of hazardous reactions: Data not available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

N° CAS	LC50 / LD50
7429-90-5	No data available.
7782-42-5	No data available.
7440-50-8	No data available.
7439-89-6	No data available.

Skin corrosion/irritation: Not available.
Serious eye damage/irritation: Not available.
Respiratory or Skin sensitization: Not available.

Germ Cell mutagenicity: Not available.

Carcinogenicity: Not available.
Reproductive toxicity: Not available.

Specific target organ toxicity-Single exposure: Not available. Specific target organ toxicity-Repeated exposure: Not available.

Aspiration hazard: Not available.

Information on the likely routes of exposure: Not available.

Eye: Not available.
Skin: Not available.
Ingestion: Not available.
Inhalation: Not available.

SECTION 12: ECOLOGICAL INFORMATION

Ecological Toxicity: No data available.

Persistence and degradability: No data available. **Bioaccumulative Potential**: No data available.

Mobility in Soil: No data available. **Other adverse effects**: No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: Recommendation:

Consult state, local or national regulations to ensure proper disposal

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION



REVISIONS: 14/10/2019

REPLACES THE VERSION OF: 07/07/2015

UN Number		
IATA	UN3480	
IMDG	UN3480	
UN proper shipping name		
IATA	Lithium Ion Batteries	
IMDG	Lithium Ion Batteries	
Transport hazard class(es)		
IATA	9	
IMDG	9	
Packaging group		
IATA	N/A	
IMDG	N/A	
Environmental hazard		
Marine pollutant	No	
Special precautions for user	Not available	

Transport information: The BATTERY 200 (72107) has passed the test UN38.3.

Separate batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

Transport Fashion: By air, by sea..

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

N° CAS	TSCA	IESC	DSL / NDSL	EINECS / ELINCS / NLP
7429-90-5	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
7439-89-6	Listed	Listed	Listed DSL	Listed

SECTION 16: OTHER INFORMATION

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. Ali materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



REVISIONS: 14/10/2019
REPLACES THE VERSION OF: 07/07/2015

Other Information:

CAS: (Chemical Abstracts Service); EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists); NIOSH: (US National Institute for Occupational Safety and Health); OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value) TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit); PEL: (Permissible Exposure Level); REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-time weighted average); PC-TWA: (Permissible concentration-short time exposure limit); LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer); EC50: (Median effective concentration);

BCF: (Bioconcentration Factor); BOO: (Biochemical oxygen demand);

NOEC: (No observed effect concentration); NTP: (US National Toxicology Program);

RTECS: (Registry of Taxie Effects of Chemical Substances); IATA: (International Air Transport Association):

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Madel Regulations);

TOC: (Total Organic Carbon);

TSCA: (Taxie Substances Contrai Act of USA); DSL: (the Domestic Substances List of Canada);

NDSL: {the Non-domestic Substances List of Canada}