

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Trade name : **IGOL RALLYE GREASE**
 Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use
 Use of the substance/mixture : Lubricating grease
 Use of the substance/mixture : Fats

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

IGOL FRANCE
 614, rue de Cagny - CS 19403
 80094 AMIENS CEDEX 3 - France
 T +33 (0)3 22 50 22 22
msds@igol.com - www.igol.com

1.4. Emergency telephone number

United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital Penarth CF64 2XX Cardiff 0344 892 0111
----------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.
 Extra phrases : For professional use only
 Safety data sheet available on request.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dilithium azelate	(CAS-No.) 38900-29-7 (EC-No.) 254-184-4 (REACH-no) 01-2120119814-57	< 2,5	Acute Tox. 4 (Oral), H302
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	(CAS-No.) 85940-28-9 (EC-No.) 288-917-4	< 2,5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

Comments : This product is a lithium grease based on mineral oil with additives
The mineral oil in this product contains less than 3% PCA (IP 346).

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air.
First-aid measures after skin contact : Wash skin with mild soap and water.
First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum).
First-aid measures after ingestion : Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause headache, nausea and irritation of respiratory tract.
Symptoms/effects after skin contact : Prolonged or repeated contact with the skin may cause dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical. Foam.
Unsuitable extinguishing media : Do not use a heavy water stream. Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic and irritating gases are released.

5.3. Advice for firefighters

Firefighting instructions : Prevent fire fighting water from entering the environment. Exercise caution when fighting any chemical fire.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not breathe fumes from fires or vapours from decomposition.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : May be dangerously slippery if spilled.

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

6.1.2. For emergency responders

Protective equipment : Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Dike and contain spill. Stop leak without risks if possible.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect all waste in suitable and labelled containers and dispose according to local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. For disposal of residues refer to section 13 : Disposal considerations " "

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : May be dangerously slippery if spilled.
Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Avoid prolonged and repeated contact with skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep containers closed. Store in dry, cool, well-ventilated area.
Storage temperature : ≤ 45 °C
Heat and ignition sources : Keep away from heat sources, open flames, Sparks. No smoking. Remove all sources of ignition.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Materials for protective clothing : Wear suitable protective clothing

Hand protection : Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Nitrile rubber gloves. Time of penetration is to be checked with the glove producer

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Short term exposure	Nitrile rubber (NBR)		0,1 mm		
In case of repeated or prolonged exposure :	Nitrile rubber (NBR)	6 (> 480 minutes)	≥ 0,38 mm		

Eye protection : Avoid contact with eyes

Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment

Other information : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
 Colour : Blue.
 Odour : No data available
 Odour threshold : No data available
 pH : No data available
 Relative evaporation rate (butylacetate=1) : No data available
 Melting point : No data available
 Freezing point : No data available
 Boiling point : No data available
 Flash point : > 150 °C (based on the oil)
 Auto-ignition temperature : No data available
 Decomposition temperature : No data available
 Flammability (solid, gas) : No data available
 Vapour pressure : No data available
 Relative vapour density at 20 °C : No data available
 Relative density : No data available
 Density : < 1000 kg/m³ (25 °C)
 Solubility : Material insoluble in water.
 Partition coefficient n-octanol/water (Log Pow) : No data available
 Viscosity, kinematic : No data available
 Viscosity, dynamic : No data available
 Explosive properties : No data available
 Oxidising properties : No data available
 Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

IGOL RALLYE GREASE	
LD50 oral	6956 mg/kg
LD50 dermal	6696 mg/kg
Dilithium azelate (38900-29-7)	
LD50 oral rat	> 300 mg/kg bw/day
LD50 dermal	> 2000 mg/kg bw/day
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)	
LD50 oral rat	3000 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)	
LC50 fish 1	2,2 mg/l (Cyprinodon variegatus; 96h)

12.2. Persistence and degradability

IGOL RALLYE GREASE	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

IGOL RALLYE GREASE	
Bioaccumulative potential	Not potentially bioaccumulable.

12.4. Mobility in soil

IGOL RALLYE GREASE	
Ecology - soil	Product adsorbs onto the soil. Material insoluble in water.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Do not discharge the product into the environment. Do not flush into surface water or sewer system

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
 Ecology - waste materials : Collect all waste in suitable and labelled containers and dispose according to local legislation.
 European List of Waste (LoW) code : 13 08 99* - wastes not otherwise specified

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
No dangerous good in sense of transport regulations.(ADR, RID, IMDG, IATA)				
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) : No

Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

3	Composition/informatio	Modified	
---	------------------------	----------	--

IGOL RALLYE GREASE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 03/04/2020

Version: 1.2

	n on ingredients		
11.1	LD50 oral	Modified	
11.1	LD50 dermal	Modified	

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

The Material Safety Data Sheet was drawn up in compliance with the actual regulation in force. It is only provided for information and can be modified without notice period. It can't be considered as a product warranty. Its sole publication does not create juridical and contractual engagements. A possible contractual relation can only occur from a contract, subjected by the general IGOLs sell conditions, between IGOL and another party. The information given in the Material Safety Data Sheet are based on the state of our knowledge relative to the product at the date indicated. The information, given bona fide, is strictly meant to advice users on security aspects. Then, the information can't be considered as products specifications. The product's specifications and applications can't be deduced from the information given on this Material Safety Data Sheet. The sheet completes the technical data sheet but doesn't replace it. The information presented in the Material Safety Data Sheet won't unload the user to evaluate the risks linked to its use of the product and to respect the regulation applied. The user's attention is attracted on the potential risks when a product is used for a different application than the one it is produced for. The user has to get informed and to apply all the regulation of its activity. The data and the legal prescriptions cited in the sheet only aim to help the user to respect some obligations. The user can't consider the data by as exhaustive. The user will take on its own responsibility the safe practices for the use of the product. IGOL can't be considered as responsible for the damages resulting of the material handling, stocking, use or destruction. The Material Safety Data Sheet was set up especially for this product and can only, since then, be used for this one. Besides, if the product is used as a component for another product, the user's attention is attracted on the fact that for that case the information can't be applicable.