

REVISIONS : 06/04/2020
REPLACES THE VERSION OF: 12/11/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

Chemical product identification Sample

Description: Battery 750

Sample Model: 145237

Supplier name: DongGuan PELLENC Electrical&Mechanical Co.,Ltd

Address: Floor 1/2 Building 7-Small Sei Park Northern Area-Songshan Lake Dongguan City

Phone number: 0086 769 22899000

FAX: 0086 769 22899001

E-mail: s.vigouroux@pellenc-china.com

Emergency phone number:44(0) 1865 407333

SECTION 2: HAZARDS IDENTIFICATION

Emergency overview: No information available.

Classification according to GHS: Not a dangerous substance according to GHS

GHS Label elements	
Hazard pictogram(s)	No available
Signal word	No available
Hazard statement(s)	No available
Precautionary statement(s)	
Prevention	No available
Response	No available
Safe storage	No available
Disposal	No available

Physical and chemical risk: No information available

Health hazard: No information available

Environmental hazards: No information available

Other hazards: No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Classification of the substance or mixture : Mixture

Chemical composition	N° CAS	N° CE	Weight (%)
Lithium nickel oxide (LiNiO ₂)	12031-65-1	620-400-4	15-45
Al	7429-90-5	231-072-3	1-8
C	7782-42-5	231-955-3	8-22
Cu	7440-50-8	231-159-6	1-12
Electrolyte	---	---	4-20

REVISIONS : 06/04/2020
REPLACES THE VERSION OF: 12/11/2019

Iron	7439-89-6	231-096-4	1-20
------	-----------	-----------	------

Note:

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

EC : European Inventory of Existing Commercial Chemical Substances

"-": No Data

SECTION 4: FIRST AID MEASURES

General information: No special measures required.

After inhalation: Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After skin contact: Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After eye contact: Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After swallowing: Do not induce vomiting. Get medical attention.

Acute and delayed effects

The main symptoms: No relevant details information.

Health effects: No relevant details information.

To protect the rescuers advice: No relevant details information.

To the doctor's advice : Need timely medical treatment and special symptoms, no relevant details information.

SECTION 5: FIREFIGHTING MEASURES

Suitable extinguishing agents: Use extinguishing agent suitable for local conditions and the surrounding environment . Such as dry powder, CO₂.

Special hazards arising from the substance or mixture: Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(> 150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Attention extinguishing method and protective measures: Wear self-contained respirator. Wear fully protective impervious suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Homework personnel protective measures, protective equipment and emergency disposal procedures:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation:

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Steps to be taken in case material is spilled or released and Waste disposal method: Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water. All waste must refer to the United Nations, the national and local regulations for disposal.

REVISIONS : 06/04/2020
REPLACES THE VERSION OF: 12/11/2019

To prevent the secondary disasters prevention measures: See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling: Consumption of food and beverage should be avoided in work areas. Wash hands with soap and water before eating, drinking. Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection: Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities: Requirements to be met by storerooms and receptacles. Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit

Ingredients with limit values that require monitoring at the workplace : no relevant details information.

Biological limit: no relevant details information.



Detection: no relevant details information.

Engineering control

General protective and hygienic measures : The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Respiratory Protection: Use suitable respirator when high concentrations are present.

Personal Protection

Protection of hands	Eye protection
 Protective gloves	 Tightly sealed goggles

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties	
Appearance	Orange
Form	Prismatic
Odour	Odorless
Electrical properties information	
Voltage	43.2V

REVISIONS : 06/04/2020
REPLACES THE VERSION OF: 12/11/2019

Cell Voltage	3.6V
Electric capacity	17.25Ah
Watt-hour	745Wh

SECTION 10: STABILITY AND REACTIVITY

Chemical stability: Stable in normal circumstances.

Possibility of hazardous reaction : Data not available

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities: Oxidizing agents, acid, base.

Hazardous Combustible Products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

LC50/LD50

Acute toxicity LD/LC50 Values relevant for classification: Not available.

LC50 lethal concentration, 50 percent kill)

LD50: lethal dose, 50 percent kill)

Skin irritation/corrosion: No further relevant information available.

Eyes stimulus/corrosion : No further relevant information available

Breathing or skin irritation: No further relevant information available .

Germ cell respectively: No further relevant information available.

Carcinogenicity: No further relevant information available.

Reproductive toxicity: No relevant details information.

Specific target organ system toxicity disposable contact: No further relevant information available.

Specific target organ system toxicity, repeated contact: No further relevant information available.

Inhalation hazard: No further relevant information available.

Potentially harmful effects: No further relevant information available.

SECTION 12: ECOLOGICAL INFORMATION

Ecological toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behaviour in environmental systems

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Ecological effects

Additional ecological information :No further relevant information available.

General notes : Do not allow material to be released to the environment without proper governmental permits.

Other adverse effects : No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

REVISIONS : 06/04/2020
REPLACES THE VERSION OF: 12/11/2019

Waste treatment methods and Recommendation: Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging and Recommendation: Disposal must be made according to official regulations

SECTION 14: TRANSPORT INFORMATION

	IATA	IMDG
UN Number	UN3480	UN3480
UN proper shipping name	Lithium Ion Batteries	Lithium Ion Batteries
Transport hazard class(es)	9	9
Packaging group	/	/
Marine pollutant		No

IATA: (International Air Transport Association)

IMDG: (International Maritime Dangerous Goods)

Transport information: The Lithium Battery (145237 43.2V 17.25Ah) has passed the test UN38.3.

Transport Fashion: By air, by sea, by railway, by road.

SECTION 15: REGULATORY INFORMATION

This Material Safety Data Sheet complies with the requirements of Regulation (EC) No. 1907/2006.

The following laws, regulations, rules and standards of the substance or mixture of management to do the corresponding provisions :

Composition	N° CAS	TSCA	IESC	DSL / NDSL	EINECS / ELINCS / NLP
Lithium nicke oxide (LiNiO2)	12031-65-1	Listed	Not listed	Not listed	Not listed
Al	7429-90-5	Listed	Listed	DSL	Listed
C	7782-42-5	Listed	Listed	DSL	Listed
Cu	7440-50-8	Listed	Listed	DSL	Listed
Iron	7439-89-6	Listed	Listed	DSL	Listed

EINECS: (European Inventory of Existing Chemical Substances)

ELINCS: European List of Notified Chemical Substances)

DSL: (Canadian Domestic Chemical Substances)

IECSC: (Inventory of Existing Chemical Substances in China)



SAFETY DATA SHEET ACCORDING TO REGULATION (EC) NO 1907/2006

REVISIONS : 06/04/2020

REPLACES THE VERSION OF: 12/11/2019

NDSL: (Canadian non-domestic Chemical Substance s)

NLP:

TSCA: (Toxic Substances Control Act of USA)

SECTION 16: OTHER INFORMATION

Declare to reader: The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.